



Series 8, Compact combi-steam oven,
60 x 45 cm, Black
CSG7364B1



1 x Grill, 1 x Universal roasting pan, size XL, 1 x
Steam reservoir with holes, 1 x Steam reservoir without holes, size M

HEZ32WA00 Wireless Bluetooth core temperature probe, HEZ530000 Half tray, HEZ531010
Roasting pan with non-stick coating, HEZ532010 Universal roasting pan, non-stick coating,
HEZ617000 Pizza pan, HEZ629070 Air Fry & grill plate, anthracite, HEZ631070 Baking
tray, enamelled, HEZ632070 Baking tray pyrolysis-resistant, HEZ636000 Glass roasting
pan, HEZ638D00 1-way Clip telescopic rails, HEZ660050 Decorative strip black (covers
bottom of oven), HEZ660060 Decorative strip black, HEZ664000 Baking and roasting
rack for steam ovens, HEZ66D52 2 steam trays size M, HEZ915003 Glass roasting pan,
HEZG0AS00 Connection cable for ovens 3m.

The compact combination steam oven
with digital control ring, TFT touch display
and Assist function for meals.
PerfectBake Plus, PerfectRoast Plus and
Home Connect for control via the App.

- **Digital Control Ring:** the simple and innovative way to control your
to set the oven.
- **TFT Touch Display Plus:** easy to operate thanks to the
innovative Digital Control Ring and the larger TFT touch screen.
- **Steam Function Plus:** for gentle, healthy food preparation
up to 120 °C.
- **Automatic Switch-off:** the cooking process stops automatically as soon as the dish is cooked.
 - **PerfectBake Plus:**
controls the settings and tells you exactly when
you have to take your dish out of the oven.

Built-in/freestanding: Built-in Door
type: Hinged door Installation
dimensions: 450-455 x 560-568 x 550 mm Dimensions of the appliance (h
x w x d): 455x594x548 mm Dimensions including packaging h x w x d:
520 x 650 x 690 mm Control panel material: glass Door
material: Glass

Net Weight: 34.1 kg Power Cord
Length: 150.0 cm EAN
Code: 4242005326143
Minimum fuse: 16 A
Voltage: 220-240 V
Frequency: 50; 60 Hz Plug
type: Schuko/Gardy plug with earthing Usable volume (of cavity) - NEW
(2010/30/EU): 47 l Energy class: A+
Energy consumption per cycle conventional (2010/30/EC): 0.73 kWh/cycle Energy
consumption per cycle forced air convection (2010/30/EC): 0.61 kWh/cycle Energy efficiency
index (2010/30/
EU): 81.3 % Accessories supplied: 1 x Wire rack, 1 x Universal roasting
pan, 1 x
Perforated steam container, size XL, 1 x Perforated steam container, size M, 1 x Unperforated
steam container, size M



Series 8, Compact combi-steam oven, 60 x 45 cm, Black CSG7364B1

**The compact combination steam oven
with digital control ring, TFT touch display
and Assist function for meals.
PerfectBake Plus, PerfectRoast Plus and
Home Connect for control via the App.**

Oven type / heating methods:

- Compact steam oven with 21 heating systems: 4D hot air, Top/bottom heat, Ventilated infrared grill, Large grill, Small grill, Pizza setting, Bottom heat, Slow cooking, Preheat, Keep warm, Warm air gentle, Conventional heat gentle, Air Fry, Steaming, Regenerating, Rising of dough, Defrost, 3D hot air, Keep warm + steam, 4D Hot air, Top/bottom heat
- Temperature control: 30 °C - 250 °C
- Steam Plus
- Interior volume: 47 l

Hanging grid / Pull-out system:

- Number of levels: 3 ST
- Oven space with hanging rack (telescopic pull-out system (can be retrofitted - optional))

Design:

- TouchControl operation
- Digital control ring
- Interior in anthracite enamel
- Oven with extra large capacity

Cleaning:

- EcoClean equipment: rear wall
- Cleaning Assistance (hydrolyse reininging)
- Full glass interior door

Comfort :

- Oven Assistant with voice control - LED touch control (red/white)
- Electronic clock
- Temperature suggestion
- Current temperature display Indication of preheating remaining time prediction Braadthermometer
- Hinged door, Hinged door with SoftClose, SoftOpen: soft opening of the door
- SoftOpen: soft opening of the door, hinged door with SoftClose
- Assist: support system for perfect cooking results
- PerfectRoast Plus
- PerfectBake Plus
- Air Fry Function
- Automatic fast preheating
- Drying function
- Automatic boiling point detection Descaling program Steam Boost steam level high steam level low steam level medium - Add intensive steam for 3 minutes at the touch of a button.
- Different steam intensities can be selected: steam level

high, steam level medium, steam level low

- LED lighting, switchable oven lighting
- Indication for empty water tank
- Steam generator outside the oven compartment
- Cooling fan
- Home Connect: remote control

Accessories:

- 1 x Steam reservoir with holes, size M, 1 x Steam reservoir with holes, size XL, 1 x Steam reservoir without holes, size M, 1 x Wire rack, 1 x Universal roasting pan

Environment / Security:

- Cool appliance front Comfort: 40°C (oven temperature 180°C)
- Glass door CoolTouch
- Child safety
- Safety switch-off Residual heat indication Start button Door contact switch

Technical information:


- Connection cable length: 150 cm
- Nominal voltage: 220 - 240 V
- Total connection value: 3.3 kW
- Energy class (according to EU standard 65/2014): A+ (on a scale of A+++ t/m D)
- Energy consumption with top and bottom heat: 0.73 kWh
- Energy consumption with hot air: 0.61 kWh
- Number of oven compartments: 1 Heating source: electric Oven capacity: 47 l

Dimensions:




- Device dimensions (HxWxD): 455 x 594 x 548 mm
- Installation dimensions (HxWxD): 450-455 x 560-568 x 550 mm
- For dimensions and installation dimensions of this device, please refer to the dimensional drawings

**Series 8, Compact combi-steam oven,
60 x 45 cm, Black
CSG7364B1**


Inbouw van twee apparaten boven elkaar
Luchtverversing



A: Luchtinvoeropening $\geq 200 \text{ cm}^2$



Inbouw met één kookzone.



Wordt het compacte apparaat onder een kookzone ingebouwd, dan moet rekening gehouden worden met de volgende werkbladdikte (eventueel incl. onderconstructie).

Kookzone-type	min. werkbladdikte	
	opgebouwd	vlak
Inductiekookzone	42 mm	43 mm
Volledige oppervlak-inductiekookzone	52 mm	53 mm
gaskookplaat	32 mm	43 mm
elektrische kookplaat	32 mm	35 mm