

## Product fiche concerning the "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

Trade mark: Bosch

Model identification: PVS611B16E

Annual Energy Consumption: 61.8 kWh/annum

Energy Efficiency class: B

Fluid Dynamic Efficiency: 28.1

Fluid Dynamic Efficiency class: A

Lighting Efficiency: - lux/Watt

Lighting Efficiency class: -

Grease Filtering Efficiency: 94 %

Grease Filtering Efficiency class: B

Air flow at minimum / maximum speed in normal use: 330.0 m<sup>3</sup>/h / 500 m<sup>3</sup>/h

Air flow at intensive or boost setting: 622 m<sup>3</sup>/h

Airborne acoustical A-weighted sound power emissions at minimum / maximum speed in normal use: 61 dB / 69 dB

Airborne acoustical A-weighted sound power emissions at intensive or boost setting: 74 dB

Power Consumption in off mode: - W

Power Consumption in standby mode: 0.17 W



## Information for domestic range hoods (EU) No. 66/2014

Model identification: PVS611B16E Annual Energy Consumption : 61.8 kWh/annum Time increase factor : 1 Fluid Dynamic Efficiency : 28.1 Energy Efficiency Index : 57 Measured air flow rate at best efficiency point : 365.8 m<sup>3</sup>/h Measured air pressure at best efficiency point : 468 Pa Maximum air flow : 622 m3/h Measured electric power input at best efficiency point : 169.3 W Nominal power of the lighting system : - W Average illumination of the lighting system on the cooking surface : - lux Measured power consumption in standby mode : 0.17 W Measured power consumption off mode : - W Sound power level : 69 dB Short title or reference to the measurement and calculation methods used to establish compliance with the above requirements: EN 61591, EN 60704-2-13, EN 50564



## Product information concerning the "COMMISSION DELEGATED REGULATION (EU) No 66/2014"

Number of cooking zones and/or areas: 3						
Energy consumption for the hob calcula	ted per kg:	178.3 Wh/k	g Wh/kg			
	A	В	С	D	E	F
Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plates)	Induction heating	Induction heating	Induction heating			
Dimension: For circular cooking zones or area: diameter of useful surface area per electric heated cooking zone, rounded to the nearest 5 mm	38,0 X 21,0	14,5	21,0			
Energy consumption per cooking zone or area calculated per kg	185.0	175.0	175.0			
Information according EN 60350-2						